




1 PARTITION TYPE 1 1/2" = 1'-0"




2 PARTITION TYPE 1 1/2" = 1'-0"



3 PARTITION TYPE 1 1/2" = 1'-0"




4 BEDROOM SOFFIT DETAIL 1 1/2" = 1'-0"



- A** PACK ALL SPACES FULL DEPTH W/MINERAL WOOL OR OTHER EQUALLY APPROVED FIRE RESISTIVE MATERIAL. (ASBESTOS OR FIBERGLASS SHALL NOT BE USED)
- B** ESCUTCHEON BOTH SIDES.
- C** SLEEVE
- D** INSULATION (OUTSIDE DIAMETER)
- E** ANHYDROUS CALCIUM SILICATE INSULATION THRU SLEEVE.
- F** FIRE RATED PARTITION, WALL OR FLOOR.
- G** FIBERGLASS INSULATION
- H** TERMINATE INSULATION AT ESCUTCHEON
- I** MAXIMUM 1/2" CLEARANCE BETWEEN INSIDE OF SLEEVE & PIPE.

# 11. DETAIL OF PIPING PIERCING FIRE RATED PARTITIONS, WALLS & FLOORS.

NTS



5 CRAWL SPACE WALL INSULATION 1 1/2" = 1'-0"

**COMERRO COPPA, P.C. ARCHITECTS**  
 97 LACKAWANNA AVENUE  
 TOTOWA, NJ 07512  
 TEL: (973) 890-8889  
 FAX: (973) 890-8855  
 E-MAIL: architects@comerro.com

S. M. COPPA, AIA  
 AI-08322

**RAMAPO COLLEGE OF NEW JERSEY**  
**"BUCKEYE" RESIDENCE INTERIOR RENOVATION**  
 505 RAMAPO VALLEY ROAD, MAHWAH, NEW JERSEY

1 REVISION 1-6-15 DATE

DRAWING TITLE  
 PARTITION TYPES AND DETAILS

DATE  
 12/3/2014

SCALE  
 AS NOTED

DRAWN  
 JMV

CHECKED  
 JMV

DRAWING #

**A005**

SHEET \_\_\_\_\_ of \_\_\_\_\_  
 PROJECT # 1420