

1 A007 STAIR AND BRIDGE ELEVATION / SECTION
1/2" = 1'-0"



2 A007 STAIR ELEVATION AND PARTIAL BRIDGE SECTION
1/2" = 1'-0"



8 A007 FRONT GUARDRAIL AT BRIDGE
3/4" = 1'-0"



10 A007 END POST SECTION
1 1/2" = 1'-0"



3 A007 KNEEWALL ON BRIDGE
1 1/2" = 1'-0"

4 A007 STAIR AND GUARDRAIL
1 1/2" = 1'-0"



5 A007 STAIR SECTION W/ BASE MOLDING ELEV
1 1/2" = 1'-0"

GENERAL STAIR AND BASE MOLDING NOTES

1. ALL FASTENERS NOT SHOWN, PROVIDE ADEQUATE FASTENERS AS REQUIRED
2. PUTTY ALL FINISH NAIL HOLES WITH A PUTTY TO MATCH RED OAK OR ADJACENT PAINT
3. PLUG ALL COUNTERSUNK SCREW AND LAG BOLT HOLES WITH RED OAK DOWEL PLUGS CUT FLUSH AND FINISH TO MATCH ADJACENT
4. PROVIDE COLOR-MATCHED SEALANT AS REQUIRED
5. CONSULT ARCHITECT FOR PAINT COLORS AND PAINT GLOSS/SHEEN AS REQUIRED
6. PROVIDE VINYL OR METAL EDGE BEAD AND COLOR-MATCHED SEALANT WHERE EXPOSED GWB ABUTS FINISHED WOOD SURFACE



9 A007 BALUSTER SECTION
1 1/2" = 1'-0"

COMERRO COPPA, P.C.
ARCHITECTS
97 LACKAWANNA AVENUE
TOTOWA, NJ 07512
TEL: (973) 890-8989
FAX: (973) 890-8855
E-MAIL: architects@comerro.com

S. M. COPPA, AIA
AI-08322

RAMAPO COLLEGE OF NEW JERSEY
"BUCKEYE" RESIDENCE INTERIOR RENOVATION
505 RAMAPO VALLEY ROAD, MAHWAH, NEW JERSEY

REVISION	DATE

DRAWING TITLE
STAIRS

DATE
12/3/2014
SCALE
AS NOTED
DRAWN
JMV
CHECKED
JMV
DRAWING #

A007

SHEET ____ of ____
PROJECT # 1420